

ACM Symposium on Principles of Distributed Computing - PODC

ROUTING THE INTERNET WITH VERY FEW ENTRIES

Cyril Gavoille

Christian Glacet


Nicolas Hanusse

David Ilcinkas

LaBRI - Université de Bordeaux - CNRS

TRADEOFFS

Memory vs. Stretch



MEMORY
entries stored per node

STRETCH
maximal stretch over all pairs

Route length $(u,v) = 5$

Distance $(u,v) = 4$

Stretch $(u,v) = 5/4$

EXISTING RESULTS

For general graphs

	Stretch	Memory
Folklore	1	n
[AGMNT'08]	3	$O(\sqrt{n})$
[AGM'06]	$< 2k+1$	$\Omega(n^{1/k})$

EXISTING RESULTS

For general graphs

	Stretch	Memory
Folklore	1	n
[AGMNT'08]	3	$O(\sqrt{n})$
[AGM'06]	$< 2k+1$	$\Omega(n)$ $\Omega(n^{1/k})$

EXISTING RESULTS


For general graphs

	Stretch	Memory
Folklore	1	n
[AGMNT'08]	3	$O(\sqrt{n})$
[AGM'06]	$< 2k+1$	$\Omega(n)$ $\Omega(\sqrt{n})$


INTERNET-LIKE GRAPHS

(RPLG)

Power-law exponent
 $t = 2.1$



degree distribution



PREVIOUS WORK / OUR SOLUTION

For RPLG

	Stretch	Memory	
		average	maximum
Labeled!	[CSTW'12]	5	$O(n^{(t-2)/(2t-3)})$ [$n^{1/12}$]
	[TZLL'13]	≥ 6	$O(\sqrt{n})$ $O(n)$
THIS PAPER	5	$O(n^{1/(t-1)+t-3})$ [$n^{1/110}$]	$O(n^{1-1/(t-1)})$ [$n^{1/11}$]


for $t=2.1 \ll [\dots]$

OUR SOLUTION

Theoretical comparison with [CSWT'12]

- ▶ if $t < 2.707$ our avg. memory is smaller
- ▶ [CSTW'12]:
 - ▶ has a smaller theoretical max. memory
 - ▶ but is a labeled scheme!
- ▶ For small values of t , hidden constants may play an important role

What is the performance in practice?



OUR SOLUTION

Experimental results on RPLG t=2.1

	avg stretch	memory	
		average	maximum
[AGMNT'08]	1.56	396	1 143
Labeled! [CSTW'12]	1.30	55.2	580
[TZLL'13]	1.24	404	1 877
THIS PAPER	1.75	6.47	228

OUR SOLUTION

Experimental results on the AS-graph 16K nodes

	avg stretch	memory	
		average	maximum
[AGMNT'08]	1.74	465	1 261
Labeled! [CSTW'12]	1.18	24	687
[TZLL'13]	1.52	106	2 324
THIS PAPER	1.59	4.05	415

THANK YOU